

MATCH  **LINE**

Product highlights

- 100Hz Digital Scan with Digital Natural Motion
- Digital CrystalClear with Dynamic Contrast and LTP2
- Full PAL plus (Colour Plus incl.) / WideScreen plus
- Dolby Digital and MPEG Multichannel
- Wireless FM surround speakers
- TXT/NEXTVIEW DualScreen
- NEXTVIEW (type 3)
- 440 pages EasyText teletext (level 2.5)
- Active control
- Improved Graphical User Interface
- Zoom (16x)

WideScreen Television

32PW9615

NICAM



WideScreen plus



DIGITAL
NATURAL MOTION



DIGITAL
CRYSTALCLEAR



PAL plus



MPEG  Multichannel



Let's make things better.



PHILIPS

MATCH  **LINE**

Product highlights

- 100Hz Digital Scan with Digital Natural Motion
- Digital CrystalClear with Dynamic Contrast and LTP2
- Full PAL plus (Colour Plus incl.) / WideScreen plus
- Dolby Digital and MPEG Multichannel
- Wireless FM surround speakers
- TXT/NEXTVIEW DualScreen
- NEXTVIEW (type 3)
- 440 pages EasyText teletext (level 2.5)
- Active control
- Improved Graphical User Interface
- Zoom (16x)

WideScreen Television

32PW9615

NICAM



WideScreen **plus**



DIGITAL
NATURAL MOTION



DIGITAL
CRYSTALCLEAR



PAL **plus**



MPEG  Multichannel



Faisons toujours mieux.



PHILIPS

MATCH  **LINE**

Product highlights

- 100Hz Digital Scan with Digital Natural Motion
- Digital CrystalClear with Dynamic Contrast and LTP2
- Full PAL plus (Colour Plus incl.) / WideScreen plus
- Dolby Digital and MPEG Multichannel
- Wireless FM surround speakers
- TXT/NEXTVIEW DualScreen
- NEXTVIEW (type 3)
- 440 pages EasyText teletext (level 2.5)
- Active control
- Improved Graphical User Interface
- Zoom (16x)



WideScreen plus



**DIGITAL
NATURAL MOTION**



**DIGITAL
CRYSTALCLEAR**



PAL plus



MPEG Multichannel



MATCH  **LINE**

Product highlights

- 100Hz Digital Scan with Digital Natural Motion
- Digital CrystalClear with Dynamic Contrast and LTP2
- Full PAL plus (Colour Plus incl.) / WideScreen plus
- Dolby Digital and MPEG Multichannel
- Wireless FM surround speakers
- TXT/NEXTVIEW DualScreen
- NEXTVIEW (type 3)
- 440 pages EasyText teletext (level 2.5)
- Active control
- Improved Graphical User Interface
- Zoom (16x)

WideScreen Television

32PW9615

NICAM



WideScreen plus



DIGITAL
NATURAL MOTION



DIGITAL
CRYSTALCLEAR



PAL plus



MPEG  Multichannel



Miglioriamo il tuo mondo.



PHILIPS

MATCH  **LINE**

Product highlights

- 100Hz Digital Scan with Digital Natural Motion
- Digital CrystalClear with Dynamic Contrast and LTP2
- Full PAL plus (Colour Plus incl.) / WideScreen plus
- Dolby Digital and MPEG Multichannel
- Wireless FM surround speakers
- TXT/NEXTVIEW DualScreen
- NEXTVIEW (type 3)
- 440 pages EasyText teletext (level 2.5)
- Active control
- Improved Graphical User Interface
- Zoom (16x)



WideScreen plus



DIGITAL
NATURAL MOTION



DIGITAL
CRYSTALCLEAR



PAL plus



MPEG  Multichannel



Por si fazemos melhor.



PHILIPS

MATCH  **LINE**

Product highlights

- 100Hz Digital Scan with Digital Natural Motion
- Digital CrystalClear with Dynamic Contrast and LTP2
- Full PAL plus (Colour Plus incl.) / WideScreen plus
- Dolby Digital and MPEG Multichannel
- Wireless FM surround speakers
- TXT/NEXTVIEW DualScreen
- NEXTVIEW (type 3)
- 440 pages EasyText teletext (level 2.5)
- Active control
- Improved Graphical User Interface
- Zoom (16x)

WideScreen Television

32PW9615

NICAM



WideScreen plus



DIGITAL
NATURAL MOTION



DIGITAL
CRYSTALCLEAR



PAL plus



MPEG  Multichannel



Juntos hacemos tu vida mejor.



PHILIPS



Product highlights

- **100 Hz Digital Scan with Digital Natural Motion** offers a flickerfree picture with smooth movement reproduction
- **Digital CrystalClear with Dynamic Contrast** Scavem, Combfilter, 9-bit processing, luminance enhancements and color enhancements. Offers a crisp and natural picture.
- **Full PALplus** (Colour Plus included) WideScreenplus for enhanced resolution and picture quality
- **Dolby Digital / MPEG Multichannel** offers the ultimate in digital surround sound quality Including Dolby Pro Logic and 3D Surround
- **nextView Program Guide** (type 3) Direct access of program info of all channels (1week) and automatic programming of VCR
- **FM Wireless surround sound speakers** independent left and right surround with full dolby Digital bandwidth

- **TXT/NexTVView DualScreen** picture + TXT or picture + NexTVView
- **440 Pages EasyText teletext** (level 2.5)
- **Active Control** Auto Digital Noise Reduction, Auto Sharpness, Auto Color, Auto contrast, Ambient Light sensor and Smart Controls. Automatically offers the best picture setting.
- **Navi-track** Improved Graphical User interface Easy menu control of all functions
- **Zoom 16x**
- **Active subwoofer and full digital sound processing**

Supporting Features

- **Blackline-S Ultra Flat** picture tube
- **Digital Colour Transient Improvement (CTI)**
- **Picture freeze and strobe**
- **Viewing modes:** 4:3, Movie Expand 14:9 & 16:9 (scroll), Subtitle zoom (scroll), Wide Screen, Auto screen fit: automatic perfect fit by continuous zoom in both directions.
- **EasyTune** (auto store, ACI and ATS)
- **EasyLink + Nextviewlink**
- **Low power standby**
- **160W music output + 60W surround**
- **Integrated centre speaker**
- **Dynamic Bass Enhancement**
- **6 Loudspeakers + 2 Surround speakers**
- **Independent headphone volume control**



Technical specifications

Chassis

- Type: FL7a MG

Picture

- Screen diameter: 32"/82cm
- Visible screen size: 76cm
- Picture tube: Blackline-S Ultra Flat 16:9
- Image stability: 100Hz Digital Scan - Digital Natural Motion
- S-Video display
- Smart Picture control (5 modes)
 - Soft, Natural, Rich, Multi media, Personal
- Brightness, contrast, tint, sharpness, colour control

Sound

- Sound system: 6 speaker HiFi stereo
- Output (total): 160W music output + 60W surround
- NICAM stereo
- Frequency response: 20Hz-20kHz, +1/-3dB (ampl.)
- Loudspeakers:
 - 2 x Midrange 2x6"
 - 2x tweeter 12mm
 - 1x subwoofer 5"
 - 1x centre speaker 2x6"
- Smart Sound control
 - Movie, Speech, Music, Multimedia, Personal
- FM Wireless surround sound speakers. 60W music power independent left and right surround with full Dolby Digital bandwidth and low power standby

Operation

- Easy menu driven installation and operation. Direct access menu's and cursor control.
- Selection of 18 menu languages

- 100 preselections
- Multi-function RC handset controlling
 - TV/VCR, Sat, DVD, CD, CDR, Tape, Tuner
- On screen status display on programmes and functions (OSD)
- Sleep timer up to 180 minutes
- Electronic lock for parental control
- Favourite programme selection
- Programme title display (transmitted by TXT)
- On screen menu display:
 - Picture menu, Sound menu, Features menu, Dolby menu, Program list, Set-up menu, Installation menu, Program name giving, Language and country selection.
- TXT/NexTVView DualScreen,
- Dealer message and demo modes
- Dealer Link; wireless communication for installation and service.

Reception

- Tuning system: 100 fold PLL
- Colour transmission systems
 - Off-air: /05, /19, /12, /58
 - PAL B/G/I +
 - SECAM B/G/L/L'
 - SECAM D/K
- A/V connections:
 - PAL B/G
 - PAL I (UK only)
 - SECAM B/G
 - NTSC video play back
- Channel selections: 120 channels
 - VHF, UHF, S-Channels, Hyperband
- Frequency range: (47.25-855.25MHz)
- Aerial input: 75 Ohm (Coax)

- VCR preselections: 0; 50-99
- Frequency / Channel selection (Germany, Austria and Benelux only)

Teletext

- EasyText teletext (level 2.5): fast access to preferred pages and subcode page scroll
- Recept. standards: WST / TOP / FLOF
- Page memory: 440 pages A.I. used for
 - Habit watch, preferred page and subcode page lists
 - favorite pages
- Program independent subtitles

Remote Control


- RC type: RC 20xx
- Touch cursor

Connections

- Front
 - S-Video in
 - video CVBS-in (cinch)
 - audio L/R-in (cinch) with automatic mono switching
 - headphone jack 3.5mm
- Rear
 - Euro A/V connector (RGB-in; CVBS-in/out) with auto image format detection
 - Euro A/V connector (RGB-in; Y/C-in/out; CVBS-in/out) with WYSIWYR select and image format detection
 - 2 Euro A/V connector (CVBS-in)
 - 2 audio-out (cinch) Constant/Variable level
 - 2 surround sound out (cinch), Subwoofer out (cinch)

Miscellaneous

- Ambient temperature : +5/+45°C
- Mains : AC 220-240V \pm 10%
- Power consumption: xxxW; Stand by: 0,3W
- Weight : 49kg (excl. packaging)
- Dimensions (wxhxd): (excl. connections) 92.5x57.0x59.3



RC 20xx

(drawing not correct at date of printing)

Features and specifications subject to change without notice

Let's make things better.



PHILIPS

Release date : June 1999
 Predecessor(s) : 32PW9723
 Date of issue : December 1998



Product highlights

- **100 Hz Digital Scan with Digital Natural Motion** offers a flickerfree picture with smooth movement reproduction
- **Digital CrystalClear with Dynamic Contrast** Scavem, Combfilter, 9-bit processing, luminance enhancements and color enhancements. Offers a crisp and natural picture.
- **Full PALplus** (Colour Plus included) WideScreenplus for enhanced resolution and picture quality
- **Dolby Digital / MPEG Multichannel** offers the ultimate in digital surround sound quality Including Dolby Pro Logic and 3D Surround
- **nextView Program Guide** (type 3) Direct access of program info of all channels (1week) and automatic programming of VCR
- **FM Wireless surround sound speakers** independent left and right surround with full dolby Digital bandwidth

- **TXT/NexTVView DualScreen** picture + TXT or picture + NexTVView
- **440 Pages EasyText teletext** (level 2.5)
- **Active Control** Auto Digital Noise Reduction, Auto Sharpness, Auto Color, Auto contrast, Ambient Light sensor and Smart Controls. Automatically offers the best picture setting.
- **Navi-track** Improved Graphical User interface Easy menu control of all functions
- **Zoom 16x**
- **Active subwoofer and full digital sound processing**

Supporting Features

- **Blackline-S Ultra Flat** picture tube
- **Digital Colour Transient Improvement (CTI)**
- **Picture freeze and strobe**
- **Viewing modes:** 4:3, Movie Expand 14:9 & 16:9 (scroll), Subtitle zoom (scroll), Wide Screen, Auto screen fit: automatic perfect fit by continuous zoom in both directions.
- **EasyTune** (auto store, ACI and ATS)
- **EasyLink + Nextviewlink**
- **Low power standby**
- **160W music output + 60W surround**
- **Integrated centre speaker**
- **Dynamic Bass Enhancement**
- **6 Loudspeakers + 2 Surround speakers**
- **Independent headphone volume control**



Technical specifications

Chassis

- Type: FL7a MG

Picture

- Screen diameter: 32"/82cm
- Visible screen size: 76cm
- Picture tube: Blackline-S Ultra Flat 16:9
- Image stability: 100Hz Digital Scan - Digital Natural Motion
- S-Video display
- Smart Picture control (5 modes)
 - Soft, Natural, Rich, Multi media, Personal
- Brightness, contrast, tint, sharpness, colour control

Sound

- Sound system: 6 speaker HiFi stereo
- Output (total): 160W music output + 60W surround
- NICAM stereo
- Frequency response: 20Hz-20kHz, +1/-3dB (ampl.)
- Loudspeakers:
 - 2 x Midrange 2x6"
 - 2x tweeter 12mm
 - 1x subwoofer 5"
 - 1x centre speaker 2x6"
- Smart Sound control
 - Movie, Speech, Music, Multimedia, Personal
- FM Wireless surround sound speakers. 60W music power independent left and right surround with full Dolby Digital bandwidth and low power standby

Operation

- Easy menu driven installation and operation. Direct access menu's and cursor control.
- Selection of 18 menu languages

Release date : June 1999
 Predecessor(s) : 32PW9723
 Date of issue : December 1998

- 100 preselections
- Multi-function RC handset controlling
 - TV, VCR, Sat, DVD, CD, CDR, Tape, Tuner
- On screen status display on programmes and functions (OSD)
- Sleep timer up to 180 minutes
- Electronic lock for parental control
- Favourite programme selection
- Programme title display (transmitted by TXT)
- On screen menu display:
 - Picture menu, Sound menu, Features menu, Dolby menu, Program list, Set-up menu, Installation menu, Program name giving, Language and country selection.
- TXT/NexTVView DualScreen,
- Dealer message and demo modes
- Dealer Link; wireless communication for installation and service.

Reception

- Tuning system: 100 fold PLL
- Colour transmission systems
 - Off-air: /05, /19, /12, /58
 - PAL B/G/I + SECAM B/G/L/L'
 - SECAM D/K
- A/V connections:
 - PAL B/G
 - PAL I (UK only)
 - SECAM B/G
 - NTSC video play back
- Channel selections: 120 channels
 - VHF, UHF, S-Channels, Hyperband
- Frequency range: (47.25-855.25MHz)
- Aerial input: 75 Ohm (Coax)

- VCR preselections: 0; 50-99
- Frequency / Channel selection (Germany, Austria and Benelux only)

Teletext

- EasyText teletext (level 2.5): fast access to preferred pages and subcode page scroll
- Recept. standards: WST / TOP / FLOF
- Page memory: 440 pages A.I. used for
 - Habit watch, preferred page and subcode page lists
 - favorite pages
- Program independent subtitles

Remote Control


- RC type: RC 20xx
- Touch cursor

Connections

- Front
 - S-Video in
 - video CVBS-in (cinch)
 - audio L/R-in (cinch) with automatic mono switching
 - headphone jack 3.5mm
- Rear
 - Euro A/V connector (RGB-in; CVBS-in/out) with auto image format detection
 - Euro A/V connector (RGB-in; Y/C-in/out; CVBS-in/out) with WYSIWYR select and image format detection
 - 2 Euro A/V connector (CVBS-in)
 - 2 audio-out (cinch) Constant/Variable level
 - 2 surround sound out (cinch), Subwoofer out (cinch)

Miscellaneous

- Ambient temperature : +5/+45°C
- Mains : AC 220-240V \pm 10%
- Power consumption: xxxW; Stand by: 0,3W
- Weight : 49kg (excl. packaging)
- Dimensions (wxhxd): (excl. connections) 92.5x57.0x59.3



RC 20xx
 (drawing not correct at date of printing)

Features and specifications subject to change without notice



Product highlights

- **100 Hz Digital Scan with Digital Natural Motion** offers a flickerfree picture with smooth movement reproduction
- **Digital CrystalClear with Dynamic Contrast** Scavem, Combfilter, 9-bit processing, luminance enhancements and color enhancements. Offers a crisp and natural picture.
- **Full PALplus** (Colour Plus included) WideScreenplus for enhanced resolution and picture quality
- **Dolby Digital / MPEG Multichannel** offers the ultimate in digital surround sound quality Including Dolby Pro Logic and 3D Surround
- **nextView Program Guide** (type 3) Direct access of program info of all channels (1week) and automatic programming of VCR
- **FM Wireless surround sound speakers** independent left and right surround with full dolby Digital bandwidth

- **TXT/NexTVView DualScreen** picture + TXT or picture + NexTVView
- **440 Pages EasyText teletext** (level 2.5)
- **Active Control** Auto Digital Noise Reduction, Auto Sharpness, Auto Color, Auto contrast, Ambient Light sensor and Smart Controls. Automatically offers the best picture setting.
- **Navi-track** Improved Graphical User interface Easy menu control of all functions
- **Zoom 16x**
- **Active subwoofer and full digital sound processing**

Supporting Features

- **Blackline-S Ultra Flat** picture tube
- **Digital Colour Transient Improvement (CTI)**
- **Picture freeze and strobe**
- **Viewing modes:** 4:3, Movie Expand 14:9 & 16:9 (scroll), Subtitle zoom (scroll), Wide Screen, Auto screen fit: automatic perfect fit by continuous zoom in both directions.
- **EasyTune** (auto store, ACI and ATS)
- **EasyLink + Nextviewlink**
- **Low power standby**
- **160W music output + 60W surround**
- **Integrated centre speaker**
- **Dynamic Bass Enhancement**
- **6 Loudspeakers + 2 Surround speakers**
- **Independent headphone volume control**



Technical specifications

Chassis

- Type: FL7a MG

Picture

- Screen diameter: 32"/82cm
- Visible screen size: 76cm
- Picture tube: Blackline-S Ultra Flat 16:9
- Image stability: 100Hz Digital Scan - Digital Natural Motion
- S-Video display
- Smart Picture control (5 modes)
 - Soft, Natural, Rich, Multi media, Personal
- Brightness, contrast, tint, sharpness, colour control

Sound

- Sound system: 6 speaker HiFi stereo
- Output (total): 160W music output + 60W surround
- NICAM stereo
- Frequency response: 20Hz-20kHz, +1/-3dB (ampl.)
- Loudspeakers:
 - 2 x Midrange 2x6"
 - 2x tweeter 12mm
 - 1x subwoofer 5"
 - 1x centre speaker 2x6"
- Smart Sound control
 - Movie, Speech, Music, Multimedia, Personal
- FM Wireless surround sound speakers. 60W music power independent left and right surround with full Dolby Digital bandwidth and low power standby

Operation

- Easy menu driven installation and operation. Direct access menu's and cursor control.
- Selection of 18 menu languages

Release date : June 1999
 Predecessor(s) : 32PW9723
 Date of issue : December 1998

- 100 preselections
- Multi-function RC handset controlling
 - TV, VCR, Sat, DVD, CD, CDR, Tape, Tuner
- On screen status display on programmes and functions (OSD)
- Sleep timer up to 180 minutes
- Electronic lock for parental control
- Favourite programme selection
- Programme title display (transmitted by TXT)
- On screen menu display:
 - Picture menu, Sound menu, Features menu, Dolby menu, Program list, Set-up menu, Installation menu, Program name giving, Language and country selection.
- TXT/NexTVView DualScreen,
- Dealer message and demo modes
- Dealer Link; wireless communication for installation and service.

Reception

- Tuning system: 100 fold PLL
- Colour transmission systems
 - Off-air: /05, /19, /12, /58
 - PAL B/G/I + SECAM B/G/L/L'
 - SECAM D/K
- A/V connections:
 - PAL B/G
 - PAL I (UK only)
 - SECAM B/G
 - NTSC video play back
- Channel selections: 120 channels
 - VHF, UHF, S-Channels, Hyperband
- Frequency range: (47.25-855.25MHz)
- Aerial input: 75 Ohm (Coax)

- VCR preselections: 0; 50-99
- Frequency / Channel selection (Germany, Austria and Benelux only)

Teletext

- EasyText teletext (level 2.5): fast access to preferred pages and subcode page scroll
- Recept. standards: WST / TOP / FLOF
- Page memory: 440 pages A.I. used for
 - Habit watch, preferred page and subcode page lists
 - favorite pages
- Program independent subtitles

Remote Control


- RC type: RC 20xx
- Touch cursor

Connections

- Front
 - S-Video in
 - video CVBS-in (cinch)
 - audio L/R-in (cinch) with automatic mono switching
 - headphone jack 3.5mm
- Rear
 - Euro A/V connector (RGB-in; CVBS-in/out) with auto image format detection
 - Euro A/V connector (RGB-in; Y/C-in/out; CVBS-in/out) with WYSIWYR select and image format detection
 - 2 Euro A/V connector (CVBS-in)
 - 2 audio-out (cinch) Constant/Variable level
 - 2 surround sound out (cinch), Subwoofer out (cinch)

Miscellaneous

- Ambient temperature : +5/+45°C
- Mains : AC 220-240V \pm 10%
- Power consumption: xxxW; Stand by: 0,3W
- Weight : 49kg (excl. packaging)
- Dimensions (wxhxd): (excl. connections) 92.5x57.0x59.3



RC 20xx
 (drawing not correct at date of printing)

Features and specifications subject to change without notice



Product highlights

- **100 Hz Digital Scan with Digital Natural Motion** offers a flickerfree picture with smooth movement reproduction
- **Digital CrystalClear with Dynamic Contrast** Scavem, Combfilter, 9-bit processing, luminance enhancements and color enhancements. Offers a crisp and natural picture.
- **Full PALplus** (Colour Plus included) WideScreenplus for enhanced resolution and picture quality
- **Dolby Digital / MPEG Multichannel** offers the ultimate in digital surround sound quality Including Dolby Pro Logic and 3D Surround
- **nextView Program Guide** (type 3) Direct access of program info of all channels (1week) and automatic programming of VCR
- **FM Wireless surround sound speakers** independent left and right surround with full dolby Digital bandwidth

- **TXT/NexTVView DualScreen** picture + TXT or picture + NexTVView
- **440 Pages EasyText teletext** (level 2.5)
- **Active Control** Auto Digital Noise Reduction, Auto Sharpness, Auto Color, Auto contrast, Ambient Light sensor and Smart Controls. Automatically offers the best picture setting.
- **Navi-track** Improved Graphical User interface Easy menu control of all functions
- **Zoom 16x**
- **Active subwoofer and full digital sound processing**

Supporting Features

- **Blackline-S Ultra Flat** picture tube
- **Digital Colour Transient Improvement (CTI)**
- **Picture freeze and strobe**
- **Viewing modes:** 4:3, Movie Expand 14:9 & 16:9 (scroll), Subtitle zoom (scroll), Wide Screen, Auto screen fit: automatic perfect fit by continuous zoom in both directions.
- **EasyTune** (auto store, ACI and ATS)
- **EasyLink + Nextviewlink**
- **Low power standby**
- **160W music output + 60W surround**
- **Integrated centre speaker**
- **Dynamic Bass Enhancement**
- **6 Loudspeakers + 2 Surround speakers**
- **Independent headphone volume control**



Technical specifications

Chassis

- Type: FL7a MG

Picture

- Screen diameter: 32"/82cm
- Visible screen size: 76cm
- Picture tube: Blackline-S Ultra Flat 16:9
- Image stability: 100Hz Digital Scan - Digital Natural Motion
- S-Video display
- Smart Picture control (5 modes)
 - Soft, Natural, Rich, Multi media, Personal
- Brightness, contrast, tint, sharpness, colour control

Sound

- Sound system: 6 speaker HiFi stereo
- Output (total): 160W music output + 60W surround
- NICAM stereo
- Frequency response: 20Hz-20kHz, +1/-3dB (ampl.)
- Loudspeakers:
 - 2 x Midrange 2x6"
 - 2x tweeter 12mm
 - 1x subwoofer 5"
 - 1x centre speaker 2x6"
- Smart Sound control
 - Movie, Speech, Music, Multimedia, Personal
- FM Wireless surround sound speakers. 60W music power independent left and right surround with full Dolby Digital bandwidth and low power standby

Operation

- Easy menu driven installation and operation. Direct access menu's and cursor control.
- Selection of 18 menu languages

Release date : June 1999
 Predecessor(s) : 32PW9723
 Date of issue : December 1998

- 100 preselections
- Multi-function RC handset controlling
 - TV, VCR, Sat, DVD, CD, CDR, Tape, Tuner
- On screen status display on programmes and functions (OSD)
- Sleep timer up to 180 minutes
- Electronic lock for parental control
- Favourite programme selection
- Programme title display (transmitted by TXT)
- On screen menu display:
 - Picture menu, Sound menu, Features menu, Dolby menu, Program list, Set-up menu, Installation menu, Program name giving, Language and country selection.
- TXT/NexTVView DualScreen,
- Dealer message and demo modes
- Dealer Link; wireless communication for installation and service.

Reception

- Tuning system: 100 fold PLL
- Colour transmission systems
 - Off-air: /05, /19, /12, /58
 - PAL B/G/I + SECAM B/G/L/L'
 - SECAM D/K
- A/V connections:
 - PAL B/G
 - PAL I (UK only)
 - SECAM B/G
 - NTSC video play back
- Channel selections: 120 channels
 - VHF, UHF, S-Channels, Hyperband
- Frequency range: (47.25-855.25MHz)
- Aerial input: 75 Ohm (Coax)

- VCR preselections: 0; 50-99
- Frequency / Channel selection (Germany, Austria and Benelux only)

Teletext

- EasyText teletext (level 2.5): fast access to preferred pages and subcode page scroll
- Recept. standards: WST / TOP / FLOF
- Page memory: 440 pages A.I. used for
 - Habit watch, preferred page and subcode page lists
 - favorite pages
- Program independent subtitles

Remote Control


- RC type: RC 20xx
- Touch cursor

Connections

- Front
 - S-Video in
 - video CVBS-in (cinch)
 - audio L/R-in (cinch) with automatic mono switching
 - headphone jack 3.5mm
- Rear
 - Euro A/V connector (RGB-in; CVBS-in/out) with auto image format detection
 - Euro A/V connector (RGB-in; Y/C-in/out; CVBS-in/out) with WYSIWYR select and image format detection
 - 2 Euro A/V connector (CVBS-in)
 - 2 audio-out (cinch) Constant/Variable level
 - 2 surround sound out (cinch), Subwoofer out (cinch)

Miscellaneous

- Ambient temperature : +5/+45°C
- Mains : AC 220-240V \pm 10%
- Power consumption: xxxW; Stand by: 0.3W
- Weight : 49kg (excl. packaging)
- Dimensions (wxhxd): (excl. connections) 92.5x57.0x59.3



RC 20xx
 (drawing not correct at date of printing)

Features and specifications subject to change without notice



Product highlights

- **100 Hz Digital Scan with Digital Natural Motion** offers a flickerfree picture with smooth movement reproduction
- **Digital CrystalClear with Dynamic Contrast** Scavem, Combfilter, 9-bit processing, luminance enhancements and color enhancements. Offers a crisp and natural picture.
- **Full PALplus** (Colour Plus included) WideScreenplus for enhanced resolution and picture quality
- **Dolby Digital / MPEG Multichannel** offers the ultimate in digital surround sound quality Including Dolby Pro Logic and 3D Surround
- **nextView Program Guide** (type 3) Direct access of program info of all channels (1week) and automatic programming of VCR
- **FM Wireless surround sound speakers** independent left and right surround with full dolby Digital bandwidth

- **TXT/NexTVView DualScreen** picture + TXT or picture + NexTVView
- **440 Pages EasyText teletext** (level 2.5)
- **Active Control** Auto Digital Noise Reduction, Auto Sharpness, Auto Color, Auto contrast, Ambient Light sensor and Smart Controls. Automatically offers the best picture setting.
- **Navi-track** Improved Graphical User interface Easy menu control of all functions
- **Zoom 16x**
- **Active subwoofer and full digital sound processing**

Supporting Features

- Blackline-S Ultra Flat picture tube
- Digital Colour Transient Improvement (CTI)
- Picture freeze and strobe
- Viewing modes: 4:3, Movie Expand 14:9 & 16:9 (scroll), Subtitle zoom (scroll), Wide Screen, Auto screen fit: automatic perfect fit by continuous zoom in both directions.
- EasyTune (auto store, ACI and ATS)
- EasyLink + Nextviewlink
- Low power standby
- 160W music output + 60W surround
- Integrated centre speaker
- Dynamic Bass Enhancement
- 6 Loudspeakers + 2 Surround speakers
- Independent headphone volume control



Technical specifications

Chassis

- Type: FL7a MG

Picture

- Screen diameter: 32"/82cm
- Visible screen size: 76cm
- Picture tube: Blackline-S Ultra Flat 16:9
- Image stability: 100Hz Digital Scan - Digital Natural Motion
- S-Video display
- Smart Picture control (5 modes)
 - Soft, Natural, Rich, Multi media, Personal
- Brightness, contrast, tint, sharpness, colour control

Sound

- Sound system: 6 speaker HiFi stereo
- Output (total): 160W music output + 60W surround
- NICAM stereo
- Frequency response: 20Hz-20kHz, +1/-3dB (ampl.)
- Loudspeakers:
 - 2 x Midrange 2x6"
 - 2x tweeter 12mm
 - 1x subwoofer 5"
 - 1x centre speaker 2x6"
- Smart Sound control
 - Movie, Speech, Music, Multimedia, Personal
- FM Wireless surround sound speakers. 60W music power independent left and right surround with full Dolby Digital bandwidth and low power standby

Operation

- Easy menu driven installation and operation. Direct access menu's and cursor control.
- Selection of 18 menu languages

Release date : June 1999
 Predecessor(s) : 32PW9723
 Date of issue : December 1998

- 100 preselections
- Multi-function RC handset controlling
 - TV, VCR, Sat, DVD, CD, CDR, Tape, Tuner
- On screen status display on programmes and functions (OSD)
- Sleep timer up to 180 minutes
- Electronic lock for parental control
- Favourite programme selection
- Programme title display (transmitted by TXT)
- On screen menu display:
 - Picture menu, Sound menu, Features menu, Dolby menu, Program list, Set-up menu, Installation menu, Program name giving, Language and country selection.
- TXT/NexTVView DualScreen,
- Dealer message and demo modes
- Dealer Link; wireless communication for installation and service.

Reception

- Tuning system: 100 fold PLL
- Colour transmission systems
 - Off-air: /05, /19, /12, /58
 - PAL B/G/I +
 - SECAM B/G/L/L'
 - SECAM D/K
 - A/V connections:
 - PAL B/G
 - PAL I (UK only)
 - SECAM B/G
 - NTSC video play back
- Channel selections: 120 channels
 - VHF, UHF, S-Channels, Hyperband
- Frequency range: (47.25-855.25MHz)
- Aerial input: 75 Ohm (Coax)

- VCR preselections: 0; 50-99
- Frequency / Channel selection (Germany, Austria and Benelux only)

Teletext

- EasyText teletext (level 2.5): fast access to preferred pages and subcode page scroll
- Recept. standards: WST / TOP / FLOF
- Page memory: 440 pages A.I. used for
 - Habit watch, preferred page and subcode page lists
 - favorite pages
- Program independent subtitles

Remote Control


- RC type: RC 20xx
- Touch cursor

Connections

- Front
 - S-Video in
 - video CVBS-in (cinch)
 - audio L/R-in (cinch) with automatic mono switching
 - headphone jack 3.5mm
- Rear
 - Euro A/V connector (RGB-in; CVBS-in/out) with auto image format detection
 - Euro A/V connector (RGB-in; Y/C-in/out; CVBS-in/out) with WYSIWYR select and image format detection
 - 2 Euro A/V connector (CVBS-in)
 - 2 audio-out (cinch) Constant/Variable level
 - 2 surround sound out (cinch), Subwoofer out (cinch)

Miscellaneous

- Ambient temperature : +5/+45°C
- Mains : AC 220-240V \pm 10%
- Power consumption: xxxW; Stand by: 0.3W
- Weight : 49kg (excl. packaging)
- Dimensions (wxhxd): (excl. connections) 92.5x57.0x59.3



RC 20xx
 (drawing not correct at date of printing)

Features and specifications subject to change without notice



Product highlights

- **100 Hz Digital Scan with Digital Natural Motion** offers a flickerfree picture with smooth movement reproduction
- **Digital CrystalClear with Dynamic Contrast** Scavem, Combfilter, 9-bit processing, luminance enhancements and color enhancements. Offers a crisp and natural picture.
- **Full PALplus** (Colour Plus included) WideScreenplus for enhanced resolution and picture quality
- **Dolby Digital / MPEG Multichannel** offers the ultimate in digital surround sound quality Including Dolby Pro Logic and 3D Surround
- **nextView Program Guide** (type 3) Direct access of program info of all channels (1week) and automatic programming of VCR
- **FM Wireless surround sound speakers** independent left and right surround with full dolby Digital bandwidth

- **TXT/NexTVView DualScreen** picture + TXT or picture + NexTVView
- **440 Pages EasyText teletext** (level 2.5)
- **Active Control** Auto Digital Noise Reduction, Auto Sharpness, Auto Color, Auto contrast, Ambient Light sensor and Smart Controls. Automatically offers the best picture setting.
- **Navi-track** Improved Graphical User interface Easy menu control of all functions
- **Zoom 16x**
- **Active subwoofer and full digital sound processing**

Supporting Features

- **Blackline-S Ultra Flat** picture tube
- **Digital Colour Transient Improvement (CTI)**
- **Picture freeze and strobe**
- **Viewing modes:** 4:3, Movie Expand 14:9 & 16:9 (scroll), Subtitle zoom (scroll), Wide Screen, Auto screen fit: automatic perfect fit by continuous zoom in both directions.
- **EasyTune** (auto store, ACI and ATS)
- **EasyLink + Nextviewlink**
- **Low power standby**
- **160W music output + 60W surround**
- **Integrated centre speaker**
- **Dynamic Bass Enhancement**
- **6 Loudspeakers + 2 Surround speakers**
- **Independent headphone volume control**



Technical specifications

Chassis

- Type: FL7a MG

Picture

- Screen diameter: 32"/82cm
- Visible screen size: 76cm
- Picture tube: Blackline-S Ultra Flat 16:9
- Image stability: 100Hz Digital Scan - Digital Natural Motion
- S-Video display
- Smart Picture control (5 modes)
 - Soft, Natural, Rich, Multi media, Personal
- Brightness, contrast, tint, sharpness, colour control

Sound

- Sound system: 6 speaker HiFi stereo
- Output (total): 160W music output + 60W surround
- NICAM stereo
- Frequency response: 20Hz-20kHz, +1/-3dB (ampl.)
- Loudspeakers:
 - 2 x Midrange 2x6"
 - 2x tweeter 12mm
 - 1x subwoofer 5"
 - 1x centre speaker 2x6"
- Smart Sound control
 - Movie, Speech, Music, Multimedia, Personal
- FM Wireless surround sound speakers. 60W music power independent left and right surround with full Dolby Digital bandwidth and low power standby

Operation

- Easy menu driven installation and operation. Direct access menu's and cursor control.
- Selection of 18 menu languages

Release date : June 1999
 Predecessor(s) : 32PW9723
 Date of issue : December 1998

- 100 preselections
- Multi-function RC handset controlling
 - TV, VCR, Sat, DVD, CD, CDR, Tape, Tuner
- On screen status display on programmes and functions (OSD)
- Sleep timer up to 180 minutes
- Electronic lock for parental control
- Favourite programme selection
- Programme title display (transmitted by TXT)
- On screen menu display:
 - Picture menu, Sound menu, Features menu, Dolby menu, Program list, Set-up menu, Installation menu, Program name giving, Language and country selection.
- TXT/NexTVView DualScreen,
- Dealer message and demo modes
- Dealer Link; wireless communication for installation and service.

Reception

- Tuning system: 100 fold PLL
- Colour transmission systems
 - Off-air: /05, /19, /12, /58
 - PAL B/G/I +
 - SECAM B/G/L/L'
 - SECAM D/K
 - A/V connections:
 - PAL B/G
 - PAL I (UK only)
 - SECAM B/G
 - NTSC video play back
- Channel selections: 120 channels
 - VHF, UHF, S-Channels, Hyperband
- Frequency range: (47.25-855.25MHz)
- Aerial input: 75 Ohm (Coax)

- VCR preselections: 0; 50-99
- Frequency / Channel selection (Germany, Austria and Benelux only)

Teletext

- EasyText teletext (level 2.5): fast access to preferred pages and subcode page scroll
- Recept. standards: WST / TOP / FLOF
- Page memory: 440 pages A.I. used for
 - Habit watch, preferred page and subcode page lists
 - favorite pages
- Program independent subtitles

Remote Control


- RC type: RC 20xx
- Touch cursor

Connections

- Front
 - S-Video in
 - video CVBS-in (cinch)
 - audio L/R-in (cinch) with automatic mono switching
 - headphone jack 3.5mm
- Rear
 - Euro A/V connector (RGB-in; CVBS-in/out) with auto image format detection
 - Euro A/V connector (RGB-in; Y/C-in/out; CVBS-in/out) with WYSIWYR select and image format detection
 - 2 Euro A/V connector (CVBS-in)
 - 2 audio-out (cinch) Constant/Variable level
 - 2 surround sound out (cinch), Subwoofer out (cinch)

Miscellaneous

- Ambient temperature : +5/+45°C
- Mains : AC 220-240V \pm 10%
- Power consumption: xxxW; Stand by: 0,3W
- Weight : 49kg (excl. packaging)
- Dimensions (wxhxd): (excl. connections) 92.5x57.0x59.3



RC 20xx
 (drawing not correct at date of printing)

Features and specifications subject to change without notice